

# PowerLite 2065 Wireless XGA 3LCD Projector

**Contact Us** 800.463.7766

Mon-Fri 7am-4pm PT

---



## The bright, wireless XGA projector with advanced security features

The portable, feature-packed PowerLite 2065 projector brings brilliant image quality to nearly any meeting place, classroom or house of worship, with native XGA resolution plus robust wireless networking. Offering high Color Brightness<sup>†</sup>, Epson® 3LCD projectors ensure bright, vivid images. With 5,500 lumens of color brightness and 5,500 lumens of white brightness<sup>1</sup>, the 2065 shines bright in a variety of lighting conditions. And, it features great contrast for clear, impactful presentations. This powerhouse projector also includes enterprise-level wireless security for added peace of mind, as well as remote management and control of Epson networked projectors.

**Projection System:** High-aperture Epson 3LCD, 3-chip technology

**Native Resolution:** XGA resolution (1024 x 768)

**Color Brightness:** 5500 lumens<sup>1</sup>

**White Brightness:** 5500 lumens<sup>1</sup>

**Throw Distance Calculator**

**Model:** V11H820020

OUR PRICE :

**\$1,699.00**


[Write a review](#)

## Overview

### Bright and Colorful

Features 5500 lumens of color brightness (color light output)<sup>1</sup> and 5500 lumens of white brightness (white light output)<sup>1</sup>.

### Wireless Ready

Includes a high-speed LAN module for wireless connectivity

### HDMI / MHL Connectivity

Stream 1080p content and mirror your mobile device with MHL & the latest in connectivity. Get instant access to movies, games and more from MHL-enabled devices.

### XGA Resolution

1024 x 768 resolution

### Auto Screen Fit

Easily and quickly adjust the image to fit the screen.

- **Far more accurate color with Epson** — 3LCD, 3-chip technology for high Color Brightness<sup>†</sup> and wide Color Gamut<sup>2</sup>
- **Look for two numbers** —
  - 5,500 lumens<sup>2</sup> Color Brightness for more accurate, vivid color
  - 5,500 lumens<sup>2</sup> White Brightness for well-lit rooms
- **Bright, colorful images up to 300"** — XGA resolution (1024 x 768)
- **Remarkable sharpness and detail** — 15,000:1 contrast ratio; added clarity when displaying text and graphics
- **Robust integrated wireless networking** — enterprise-level security for peace of mind; compatible with WEP, WPA, WPA2-PSK and WPA2-EAP security protocols
- **Split Screen<sup>3</sup> feature** — simultaneously project two images (video or still) side-by-side from two different sources
- **Remote management and control tools** — included software allows for remote monitoring and control of Epson networked projectors; also compatible with Crestron® RoomView®
- **Long-lasting lamp** — up to 10,000 hours in ECO Mode<sup>4</sup>
- **Versatile, compact design** — includes multiple connectivity options; ideal for taking from room to room or installing in small- to medium-sized spaces

## IMPORTANT SAFETY INFORMATION ABOUT USAGE ENVIRONMENTS FOR MOUNTED PROJECTORS ►

## Specifications

## Specifications Projector:

### Projection System:

3LCD, 3-chip technology

**Projection Method:**

Front/rear/ceiling mount

**Driving Method:**

Poly-silicon TFT Active Matrix

**Pixel Number:**

1,786,432 dots (1024 x 768) x 3

**Color Brightness - Color Light Output:**

5,500 lumens

**White Brightness - White Light Output:**

5,500 lumens

**Aspect Ratio:**

4:3

**Resolution:**

1024 x 768 (XGA)

**Supported Resolution:**

1920 x 1080 (1080p)

**Resize:**

640 x 480, 800 x 600, 1280 x 1024, 1400 x 1050

**Lamp Type:**

300 W UHE

**Lamp Life:**

Up to 10,000 hours (ECO Mode), Up to 5,000 hours (Normal Mode)

**Throw Ratio Range:**

1.38 (Zoom: Wide), 2.24 (Zoom: Tele)

**Size - projected distance:**

30" – 300" (1.36 m – 13.86 m) (Zoom: Wide)

**Keystone Correction:**

Vertical: ± 30 degrees, Horizontal: ± 20 degrees

**USB Plug 'n Play:**

Projector is compatible with PC and Mac® computers

**Contrast Ratio:**

Up to 15,000:1

**Color Reproduction:**

Up to 1.07 billion colors

**General:**

---

**Temperature:**

41 ° to 95 °F (5 ° to 35 °C)

**Weight:**

9.7 lb (4.4 kg)

**Security:**

Kensington-style lock provision

## Projection Lens:

---

**Type:**

Optical Zoom (Manual)/Focus (Manual)

**F-number:**

1.5 – 2.0

**Focal Length:**

18.2 – 29.2 mm

**Zoom Ratio:**

1.0 – 1.6

## Projector Details:

---

**Input Signal:**

Auto, RGB and Component

**Interfaces:**

- 2x HDMI® (1 in common with MHL®)
- Computer: 1x D-sub 15 pin
- Video: 1x RCA
- Audio-in: 3x Mini stereo
- Audio-in: 1x RCA (L & R)
- Network: 1x RJ-45, 100
- Mbps Serial: 1x RS-232c
- Monitor Out: 1x D-sub 15 pin

**Speaker:**

16 W (mono)

**Fan Noise:**

39 dB (Normal Mode), 29 dB (ECO Mode)

## Projector Dimensions:

---

**Including feet:**

14.85" x 11.48" x 4.56" (W x D x H)

**Excluding feet:**

14.85" x 11.46" x 3.98" (W x D x H)

## Remote Control:

---

**Features:**

Brightness, Contrast, Tint, Saturation, Sharpness, Input signal, Sync, Tracking, Position, Color temperature, Volume

**Operating Distance:**

26.2 ft (8 m)

**Operating Angle:**

Right/left: ± 45 degrees, Upper/lower: +45 to -15 degrees

## Power:

---

### Power Supply Voltage:

100 – 240 V AC  $\pm$ 10%, 50/60 Hz

### Power Consumption:

- 333 W (Normal Mode)
  - 235 W (ECO Mode)
  - 2.0 W Standby (Communication On)
  - 0.21 W Standby (Communication Off)
- 

© 2020 Epson America, Inc.