

OUT OF STOCK

# PowerLite 982W 3LCD WXGA Classroom Projector with Dual HDMI

Contact Us 800.463.7766

Mon-Fri 7am-4pm PT

---



## Create dazzling, widescreen displays with this premium classroom projector.

Bring powerful projection to your classroom with the advanced PowerLite 982W projector. The perfect addition to any learning environment, this ultra bright, 4,200-lumen<sup>1</sup> projector enhances lesson plans and promotes collaboration with vibrant, widescreen displays. Featuring an integrated Moderator function<sup>2</sup>, the PowerLite 982W allows up to 50 users to connect and share content from laptops or mobile devices<sup>3</sup>. Designed with durability in mind, this premium projector provides a long lamp life up to 17,000 hours in ECO Mode<sup>4</sup>. Plus, with a 1.6 optical zoom, a 16 W speaker, a microphone input, and dual HDMI ports, creating dynamic, high-definition displays has never been easier.

- 4,200 lumens of color and white brightness<sup>1</sup>
- Native WXGA resolution and 16:10 aspect ratio
- Long lamp life up to 17,000 hours in ECO Mode<sup>4</sup>
- 1.6x optical zoom for easy placement and installation
- Built-in Moderator function<sup>2</sup> for easy sharing
- **THROW DISTANCE AND DISPLAY SIZE CALCULATORS ►**

**Model:** V11H987020

OUR PRICE :

**\$849.00**[Write a review](#)

## Overview

**3-chip 3LCD technology for Best-in-Class Color Brightness<sup>5</sup>**  
4,200 lumens of color and white brightness<sup>1</sup>

**Bright, widescreen images**  
with native WXGA resolution and a 16:10 aspect ratio

**Low-priced, long-lasting lamp**  
up to 17,000 hours in ECO Mode<sup>4</sup>

**1.6x optical zoom**  
expand your projector placement or installation flexibility; get sharp, clear images with no digital distortion

**Moderator function<sup>2</sup>**  
allows up to 50 users to connect to the display simultaneously; perfect for displaying a variety of content or comparing students' work side-by-side

**Advanced network connectivity**  
RJ-45 allows remote network projector management, presentations over the network, and more

- **Project from laptops and mobile devices** — wirelessly display from PC, Mac<sup>®</sup>, Chromebook<sup>™</sup>, iOS<sup>®</sup> and Android<sup>™</sup> devices<sup>3</sup>
- **Dual HDMI ports** — supports multiple high-definition AV devices
- **Built-in 16 W speaker and microphone input** — create dynamic and engaging projector displays
- **Screen size up to 280"** — with Split Screen<sup>6</sup> capability for side-by-side viewing

## Eco Features

- RoHS compliant
- Recyclable product<sup>7</sup>
- Epson America, Inc. is a SmartWay<sup>™</sup> Transport Partner<sup>8</sup>

### Better Products for a Better Future<sup>™</sup>

For more information on Epson's environmental programs, go to [www.epson.com/environment](http://www.epson.com/environment)

### IMPORTANT SAFETY INFORMATION ABOUT USAGE ENVIRONMENTS FOR MOUNTED PROJECTORS ►

## What's In The Box:

- PowerLite 982W Projector
- Power cord

- Computer cable (VGA)
- Projector remote control
- Batteries
- Software CD
- Quick setup sheet
- Warranty card

---

## Specifications

---

### Specifications Projector:

**Projection System:**

3LCD, 3-chip technology

**Projection Method:**

Front / rear / ceiling mount

**Driving Method:**

Poly-silicon TFT Active Matrix

**Pixel Number:**

1,024,000 dots (1280 x 800) x 3

**Color Brightness - Color Light Output:**

4200 lumens<sup>1</sup>

**White Brightness - White Light Output:**

4200 lumens<sup>1</sup>

**Aspect Ratio:**

16:10

**Resolution:**

1280 x 800 (WXGA)

**Resize:**

640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1366 x 768 (WXGA60-3), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 900 (WXGA++), 1600 x 1200 (UXGA60)

**Lamp Type:**

230 W UHE

**Lamp Life:**

- ECO mode: Up to 17,000 hours<sup>4</sup>
- Medium mode: Up to 10,000 hours<sup>4</sup>
- Normal mode: Up to 6,500 hours<sup>4</sup>

**Throw Ratio Range:**

1.38 (Zoom:Wide), 2.24 (Zoom:Tele)

**Size - projected distance:**

29" – 280" (0.85 – 8.4 m) (Zoom:Wide)

29" – 280" (1.40 – 13.71 m) (Zoom:Tele)

**Keystone Correction:**

- Vertical: ±30 degrees (Automatic)

- Horizontal:  $\pm 30$  degrees (Slider)

**USB Plug 'n Play:**

Projector is compatible with PC and Mac® computers

**Contrast Ratio:**

Up to 16,000:1

**Color Processing:**

10 bit

**Color Reproduction:**

Up to 1.07 billion colors

**General:**

---

**Temperature:**

41° to 95° F (5° to 35° C)

**Weight:**

6.83 lb (3.1 kg)

**Security:**

- Kensington®-style lock provision
- Padlock
- Security anchor bar

**Power:**

---

**Power Supply Voltage:**

100 – 240VAC  $\pm 10\%$ , 50 / 60Hz AC

**Power Consumption:**

- ECO mode: 235 W
- Normal mode: 354 W
- Communication on: 2.0 W Standby
- Communication off: 0.3 W Standby

**Projection Lens:**

---

**Type:**

Manual focus

**F-number:**

1.51 – 1.99

**Focal Length:**

18.2 – 29.2 mm

**Zoom Ratio:**

1.0 – 1.6

**Remote Control:**

---

**Features:**

A/V Mute, Freeze, Split, Aspect, Color Mode, Auto, MHL Menu, Volume

**Operating Distance:**

19.7' (6 m)

**Operating Angle:**

- Right / Left:  $\pm 30$  degrees
- Upper / Lower:  $\pm 15$  degrees

## Projector Dimensions:

---

**Including feet:**

12.1" x 11.5" x 4.1" (W x D x H)

**Excluding feet:**

12.1" x 11.1" x 3.5" (W x D x H)

## Projector Details:

---

**Display Performance:**

- NTSC: 480 lines
- PAL: 576 lines  
(Depends on observation of the multi-burst pattern)

**Input Signal:**

NTSC / NTSC4.43 / PAL / M-PAL / N-PAL / PAL60 / SECAM

**Interfaces:**

- 1x USB-A
- 1x USB-B
- 1x LAN
- 2x HDMI
- 2x Computer/Component
- 1x Video
- 1x RS-232c
- 1x Stereo Mini-jack (Mic)
- 1x Monitor Out
- Audio 1 & 2
- Audio L & R
- 1x Audio Out
- Wireless LAN port: 802.11 b/g/n (optional – module sold separately)

**Speaker:**

16 W (mono)

**Fan Noise:**

- ECO mode: 28 dB
- Normal mode: 37 dB

**Eco Features:**

- RoHS compliant
- Recyclable product<sup>7</sup>
- Epson America, Inc. is a SmartWay<sup>SM</sup> Transport Partner<sup>8</sup>

---

Reviews ▶

## Reviews



**Be the first to review this product**

---

Accessories ▶

---



Air Filters



Cables



Cases



Document  
Cameras



Lamp

---

### Notes:

<sup>1</sup> Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.

<sup>2</sup> Moderator control, Connecting via QR code and Projector Remote are not available on Epson iProjection™ for Chromebooks.

<sup>3</sup> For wireless functionality, including via the Epson iProjection App, the projector must be configured on a network, either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable a wireless connection. Not all Epson projectors are able to be networked. The Epson iProjection App does not support all files and formats. See [www.epson.com](http://www.epson.com) for details.

<sup>4</sup> Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

<sup>5</sup> Color brightness measured per IDMS 15.4. Additional colors and picture modes tested. Top-selling Epson 3LCD projectors vs. comparable top-selling 1-chip DLP projectors based on NPD sales data for May 2017 – April 2018. COLOR BRIGHTNESS WILL VARY BASED ON USAGE CONDITIONS.

<sup>6</sup> Split Screen feature requires remote control. Consult your user manual for input combinations.

<sup>7</sup> For convenient and reasonable recycling options, visit [www.epson.com/recycle](http://www.epson.com/recycle)

<sup>8</sup> SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

**IMPORTANT SAFETY INFORMATION ABOUT USAGE ENVIRONMENTS FOR MOUNTED PROJECTORS ►**

© 2020 Epson America, Inc.