

S 5012

BASS REFLEX SUBWOOFER

DESCRIPTION

The S 5012 is a vented, high output, compact subwoofer system where the physically small size and impact of a 12-inch driver is desired, and works equally well for portable or install situations. Extending the frequency response of these systems to below 40Hz this highly efficient design is capable of providing output levels normally associated with considerably larger enclosures.

A system suited to background music playback in applications ranging from clubs, bars and cafes, right through to theatres and AV presentations. The low-frequency transducer is a 12" woofer with a 2,5" voice coil. This new woofer design is the result of the latest refinements in RCF experiences in compact active and passive subwoofer design, resulting in a fast and controlled reproduction of the bass frequency range. It is engineered to complement MEDIA series full-range loudspeakers and is particularly well-suited in high-quality multimedia applications.



FEATURES

- 12" high-efficiency 2.5" voice-coil woofer
- 127 dB maximum sound pressure level
- System Power rating 300 Watt RMS
- M20 standard pole mount in top section of cabinet
- Recessed Euroblock Input-Output connectors
- Protective metal grille, polyester fabric coated
- Integrated recessed hand carry points



TECHNICAL SPECIFICATIONS

Frequency Response (-10dB):	50 Hz ÷ 200 Hz
Max SPL @ 1m:	127 dB
System Sensitivity:	96 dB
Nominal Impedance (ohm):	8 ohm
Power Handling:	300 W RMS
Peak Power Handling:	1200 W PEAK
Recommended Amplifier:	600 W
Woofer:	12", 2.5" v.c
Nominal Impedance (ohm):	8 ohm
Input Power Rating:	300 W AES, 600 W PEAK
Sensitivity:	96 dB, 1W @ 1m
Input connectors:	Euroblock
Output connectors:	Euroblock
CE marking:	Yes
Cabinet/Case Material:	MDF
Pole mount/Cap:	Yes
Grille:	Steel with robust double mesh polyester clothing
Color:	Black
Height:	380 mm / 14.96 inches
Width:	450 mm / 17.72 inches
Depth:	420 mm / 16.54 inches
Weight:	18 kg / 39.68 lbs
Package Height:	480 mm / 18.9 inches
Package Width:	550 mm / 21.65 inches
Package Depth:	520 mm / 20.47 inches
	Max SPL @ 1m: System Sensitivity: Nominal Impedance (ohm): Power Handling: Peak Power Handling: Recommended Amplifier: Woofer: Nominal Impedance (ohm): Input Power Rating: Sensitivity: Input connectors: Output connectors: CE marking: Cabinet/Case Material: Pole mount/Cap: Grille: Color: Height: Width: Depth: Weight: Package Height: Package Width:


PART NUMBER


· 13041018


S 5012


EAN 8024530011062











450 [17.72*]

